| L      | Hits | Search Text   | DB                  | Time stamp |
|--------|------|---|---------------------|------------|
| Number |      |   |                     |            |
| -      | 3373 | ((web internet wan www) near5 (server page site prox\$4) same (track\$4                         | USPAT;<br>EPO; JPO; | 2003/08/12 |
|        |      | monitor\$4) same (user client member  | DERWENT;            | 15:03      |
|        |      | subscriber computer))   | IBM TDB             |            |
| _      | 388  | (((web internet wan www) near5 (server  | USPĀT;              | 2003/08/12 |
|        |      | page site prox\$4) same (track\$4   | EPO; JPO;           | 15:36      |
|        |      | monitor\$4) same (user client member  | DERWENT;            |            |
|        |      | subscriber computer))) and ((database   | IBM_TDB             |            |
|        |      | table list\$4) same (ip ipx (internet adj<br>protocol)) same (user client member                |                     |            |
|        |      | subscriber computer)) and ((database  |                     |            |
|        |      | table list\$4) same tim\$4)   |                     |            |
| _      | 31   | (((web internet wan www) near5 (server  | USPAT;              | 2003/08/13 |
|        |      | page site prox\$4) same (track\$4   | EPO; JPO;           | 17:53      |
| '      |      | monitor\$4) same (user client member  | DERWENT;            |            |
|        |      | subscriber computer))) and ((database table list\$4) same (address\$4 near3 (ip                 | IBM_TDB             |            |
|        |      | ipx (internet adj protocol))) same (user  |                     |            |
|        |      | client member subscriber computer)) and   |                     |            |
|        |      | ((database table list\$4) same tim\$4) and  |                     |            |
| 1      |      | (tim\$4 same (sync\$4 synchron\$7) same   | 1                   |            |
| _      | 30   | (server global internet web)) (((web internet wan www) near5 (server                            | USPAT;              | 2003/08/12 |
|        |      | page site prox\$4) same (track\$4   | EPO; JPO;           | 15:43      |
|        |      | monitor\$4) same (user client member  | DERWENT;            |            |
|        |      | subscriber computer))) and ((database   | IBM_TDB             |            |
|        |      | table list\$4) same (address\$4 near3 (ip   |                     |            |
|        |      | <pre>ipx (internet adj protocol))) same (user<br/>client member subscriber computer)) and</pre> |                     |            |
|        |      | ((database table list\$4) nearl1 (tim\$4  |                     |            |
|        |      | timestamp\$4 time-stamp\$4)) and ((tim\$4   |                     |            |
|        |      | timestamp\$4 time-stamp\$4) same (sync\$4   |                     | :          |
|        |      | synchron\$7) same (server global internet   web))   |                     |            |
| _      | 20   | · ' '   | USPAT;              | 2003/08/12 |
|        |      | page site prox\$4) same (track\$4   | EPO; JPO;           | 17:52      |
|        |      | monitor\$4) same (user client member  | DERWENT;            |            |
|        |      | subscriber computer))) and ((database   | IBM_TDB             |            |
|        |      | table list\$4) same (address\$4 near3 (ip ipx (internet adj protocol))) same (user              | İ                   |            |
|        |      | client member subscriber computer)) and   | <i>'</i>            |            |
|        |      | ((database table list\$4) same (tim\$4  |                     |            |
|        |      | timestamp\$4 time-stamp\$4)) and ((tim\$4   |                     |            |
|        |      | timestamp\$4 time-stamp\$4) same (sync\$4   |                     | •          |
|        |      | synchron\$7) same (server global internet web)) and ((track\$4 monitor\$4) near8                | 1                   |            |
|        |      | (database table list\$4))   | 1                   |            |
| -      | 18   | (((web internet wan www) near5 (server  | USPAT;              | 2003/08/12 |
|        |      | page site prox\$4) same (track\$4   | EPO; JPO;           | 16:59      |
|        |      | monitor\$4) same (user client member  | DERWENT;            |            |
|        |      | subscriber computer))) and ((database table list\$4) near11 (address\$4 near3 (ip               | IBM_TDB             |            |
|        |      | ipx (internet adj protocol))) nearl1  |                     |            |
|        |      | (user client member subscriber computer))   |                     |            |
|        |      | and ((database table list\$4) near11  |                     |            |
|        |      | (tim\$4 timestamp\$4 time-stamp\$4)) and ((tim\$4 timestamp\$4 time-stamp\$4) near11            | 1                   |            |
|        |      | ((tim\$4 timestamp\$4 time-stamp\$4) nearif ((sync\$4 synchron\$7))                             |                     |            |
| -      | 160  | ((web internet wan www) near5 (server   | USPAT;              | 2003/08/12 |
|        |      | page site prox\$4)) and ((track\$4  | EPO; JPO;           | 17:11      |
|        |      | monitor\$4) same (user client member  | DERWENT;            |            |
|        | 1    | subscriber computer)) and ((database table list\$4) near11 (address\$4 near3 (ip                | IBM_TDB             |            |
|        |      | ipx (internet adj protocol))) near11  |                     |            |
|        |      | (user client member subscriber computer))   | 1                   |            |
|        |      | and ((database table list\$4 field) nearl1  |                     |            |
|        |      | (tim\$4 timestamp\$4 time-stamp\$4))  | <u> </u>            | <u> </u>   |

| _ | 136 | ((web internet wan www) near5 (server               | USPAT;    | 2003/08/12 |
|---|-----|---|-----------|------------|
|   |     | page site prox\$4)) and ((track\$4                  | EPO; JPO; | 17:19      |
|   | 1   | monitor\$4) near11 (user client member              | DERWENT;  |            |
|   |     | subscriber computer)) and ((database                | IBM TDB   |            |
|   |     | table list\$4) nearl1 (address\$4 near3 (ip         | 12122     |            |
|   |     | ipx (internet adj protocol))) near11                |           |            |
|   |     |   |           |            |
|   |     | (user client member subscriber computer))           |           |            |
|   |     | and ((database table list\$4 field) nearl1          |           |            |
|   |     | (tim\$4 timestamp\$4 time-stamp\$4))                |           |            |
| - | 10  | ((web internet wan www) near5 (server               | USPAT;    | 2003/08/12 |
|   |     | page site prox\$4)) and ((track\$4                  | EPO; JPO; | 17:20      |
|   |     | monitor\$4) near11 (user client member              | DERWENT;  |            |
|   |     | subscriber computer)) and ((database                | IBM_TDB   |            |
|   |     | table list\$4) near11 (address\$4 near3 (ip         | <u></u>   |            |
|   |     | <pre>ipx (internet adj protocol))) near11</pre>     |           |            |
|   |     | (user client member subscriber computer))           |           |            |
|   |     | and ((database table list\$4 field) near11          |           |            |
|   |     | (tim\$4 timestamp\$4 time-stamp\$4)) and            |           |            |
|   |     | ((tim\$4 timestamp\$4 time-stamp\$4) near11         |           |            |
|   |     | (sync\$4 synchron\$7)) not ((((web internet         |           |            |
|   |     | wan www) near5 (server page site prox\$4)           |           |            |
|   |     | same (track\$4 monitor\$4) same (user               |           |            |
|   |     |   |           |            |
|   |     | client member subscriber computer))) and            |           |            |
|   |     | ((database table list\$4) same (address\$4          |           |            |
|   |     | near3 (ip ipx (internet adj protocol)))             |           |            |
|   |     | same (user client member subscriber                 |           |            |
|   |     | computer)) and ((database table list\$4)            |           |            |
|   |     | near11 (tim\$4 timestamp\$4 time-stamp\$4))         |           |            |
|   |     | and ((tim\$4 timestamp\$4 time-stamp\$4)            |           |            |
|   |     | same (sync\$4 synchron\$7) same (server             |           |            |
|   |     | global internet web)))                              |           |            |
| _ | 114 | 1 3   | USPAT;    | 2003/08/13 |
|   |     | page site prox\$4)) and ((track\$4                  | EPO; JPO; | 09:15      |
|   |     | monitor\$4) near11 (user client member              | DERWENT;  |            |
|   |     | subscriber computer)) and ((database                | IBM TDB   |            |
|   |     | table list\$4) near11 (address\$4 near3 (ip         | 1511_155  |            |
|   |     |   |           |            |
|   |     | ipx (internet adj protocol))) near11                |           |            |
|   |     | (user client member subscriber computer))           |           |            |
|   |     | and ((database table list\$4 field) near11          |           |            |
|   |     | (tim\$4 timestamp\$4 time-stamp\$4)) not            |           |            |
|   | 1   | ((((web internet wan www) near5 (server             |           |            |
|   |     | page site prox\$4) same (track\$4                   |           |            |
|   |     | monitor\$4) same (user client member                |           |            |
|   |     | subscriber computer))) and ((database               |           |            |
|   |     | table list\$4) same (address\$4 near3 (ip           |           |            |
|   |     | <pre>ipx (internet adj protocol))) same (user</pre> |           |            |
|   |     | client member subscriber computer)) and             |           |            |
|   |     | ((database table list\$4) near11 (tim\$4            |           |            |
|   |     | timestamp\$4 time-stamp\$4)) and ((tim\$4           |           |            |
|   |     | timestamp\$4 time-stamp\$4) same (sync\$4           |           |            |
|   |     | synchron\$7) same (server global internet           |           |            |
|   |     |   |           |            |
|   | 1   | web)))  | 1         | I          |

| - | 42  | ((web internet wan www) near5 (server   | USPAT;                | 2003/08/12 |
|---|-----|---|-----------------------|------------|
|   |     | page site prox\$4)) and ((track\$4  | EPO; JPO;             | 17:55      |
|   |     | <pre>monitor\$4) nearl1 (user client member subscriber computer)) and ((database)</pre> | DERWENT;<br>IBM TDB   |            |
|   |     | nearl1 (address\$4 near3 (ip ipx (internet  | 101-100               |            |
|   |     | adj protocol))) nearl1 (user client   | 1                     |            |
|   |     | member subscriber computer)) and  |                       | ·          |
|   |     | ((database field) nearl1 (tim\$4  |                       |            |
|   |     | timestamp\$4 time-stamp\$4)) not ((((web  |                       |            |
|   |     | internet wan www) near5 (server page site   |                       |            |
|   |     | prox\$4) same (track\$4 monitor\$4) same  | !                     |            |
|   |     | (user client member subscriber  |                       |            |
|   |     | computer))) and ((database table list\$4) same (address\$4 near3 (ip ipx (internet      |                       |            |
|   | ļ   | adj protocol))) same (user client member  |                       |            |
|   |     | subscriber computer)) and ((database  |                       |            |
|   |     | table list\$4) nearl1 (tim\$4 timestamp\$4  |                       |            |
|   |     | time-stamp\$4)) and ((tim\$4 timestamp\$4   |                       |            |
|   |     | time-stamp\$4) same (sync\$4 synchron\$7)   |                       |            |
|   |     | same (server global internet web)))   | HCD2m.                | 2002/00/12 |
| - | 109 | ((web internet wan www) near5 (server   | USPAT;                | 2003/08/13 |
|   |     | page site prox\$4)) and ((database table list\$4) near11 (address\$4 near3 (ip ipx      | EPO; JPO;<br>DERWENT; | 12:33      |
|   |     | (internet adj protocol))) near11 (user  | IBM TDB               |            |
|   |     | client member subscriber computer)) and   |                       | 3          |
|   |     | ((database table list\$4 field) near11  |                       |            |
|   |     | (tim\$4 timestamp\$4 time-stamp\$4)) not  |                       | 1          |
|   |     | ((track\$4 monitor\$4) near11 (user client  |                       |            |
| ĺ | 1   | member subscriber computer))  |                       | 2002/00/12 |
| - | 34  | ((web internet wan www) near11 (server page site prox\$4)) and (server near11           | USPAT;<br>EPO; JPO;   | 2003/08/13 |
|   |     | (database table list\$4) near11 (address\$4   | DERWENT;              | 12:32      |
|   |     | near3 (ip ipx (internet adj protocol)))   | IBM TDB               |            |
|   |     | nearl1 (user client member subscriber   |                       |            |
|   |     | computer)) and ((database table list\$4   |                       |            |
|   |     | field) near11 (tim\$4 timestamp\$4  |                       |            |
|   |     | time-stamp\$4)) not ((track\$4 monitor\$4)  |                       |            |
|   |     | near11 (user client member subscriber   |                       |            |
|   | 70  | computer))  | HCDAT.                | 2002/09/12 |
| _ | 79  | (((web internet wan www) near5 (server page site prox\$4)) and ((database table         | USPAT;<br>EPO; JPO;   | 2003/08/13 |
|   |     | list\$4) nearll (address\$4 near3 (ip ipx   | DERWENT;              | 12.57      |
|   |     | (internet adj protocol))) near11 (user  | IBM TDB               |            |
|   |     | client member subscriber computer)) and   | _                     | ,          |
|   |     | ((database table list\$4 field) near11  |                       |            |
|   |     | (tim\$4 timestamp\$4 time-stamp\$4)) not  |                       |            |
|   |     | ((track\$4 monitor\$4) near11 (user client member subscriber computer))) not (((web     |                       |            |
|   |     | internet wan www) near11 (server page   |                       |            |
|   |     | site prox\$4)) and (server near11   |                       |            |
|   |     | (database table list\$4) near11 (address\$4   |                       |            |
|   |     | near3 (ip ipx (internet adj protocol)))   |                       |            |
|   |     | near11 (user client member subscriber   |                       |            |
|   |     | computer)) and ((database table list\$4   |                       |            |
|   |     | field) near11 (tim\$4 timestamp\$4 time-stamp\$4)) not ((track\$4 monitor\$4)           |                       |            |
|   |     | nearl1 (user client member subscriber   |                       |            |
|   | 1   | computer)))   |                       |            |
| - | 78  | ((web internet wan www) near5 (server   | USPAT;                | 2003/08/13 |
|   |     | page site prox\$4)) and ((database table  | EPO; JPO;             | 12:55      |
|   |     | list\$4) near11 (address\$4 near3 (ip ipx   | DERWENT;              |            |
|   |     | (internet adj protocol))) nearl1 (user client member subscriber computer)) and          | IBM_TDB               |            |
|   |     | ((database table list\$4) near11 server)  |                       |            |
|   |     | and ((database table list\$4 field) near11  |                       |            |
|   |     | (tim\$4 timestamp\$4 time-stamp\$4)) not  | 1                     |            |
|   |     | ((track\$4 monitor\$4) near11 (user client  | 1                     |            |
|   |     | member subscriber computer))  |                       |            |

| - | 48  | (((web internet wan www) near5 (server   | USPAT;              | 2003/08/13 |
|---|-----|--|---------------------|------------|
|   |     | page site prox\$4)) and ((database table   | EPO; JPO;           | 12:57      |
|   |     | list\$4) near11 (address\$4 near3 (ip ipx  | DERWENT;            |            |
|   |     | (internet adj protocol))) near11 (user   | IBM_TDB             |            |
|   |     | client member subscriber computer)) and  |                     |            |
|   |     | ((database table list\$4) near11 server)   |                     |            |
|   |     | and ((database table list\$4 field) near11   |                     |            |
|   |     | (tim\$4 timestamp\$4 time-stamp\$4)) not   |                     |            |
|   |     | ((track\$4 monitor\$4) near11 (user client   |                     |            |
|   |     | member subscriber computer))) not (((web   |                     |            |
|   |     | internet wan www) nearll (server page  |                     |            |
|   |     | site prox\$4)) and (server near11  |                     |            |
|   |     | (database table list\$4) near11 (address\$4  |                     |            |
|   |     | near3 (ip ipx (internet adj protocol)))  |                     |            |
|   |     | nearl1 (user client member subscriber  |                     |            |
|   |     | computer)) and ((database table list\$4  |                     |            |
|   |     | field) near11 (tim\$4 timestamp\$4   |                     |            |
|   |     | time-stamp\$4)) not ((track\$4 monitor\$4)   |                     |            |
|   |     | near11 (user client member subscriber  |                     |            |
|   | 36  | computer)))  | HCDAT.              | 2003/08/13 |
| - | 26  | ((server page site prox\$4) same (mib  | USPAT;<br>EPO; JPO; | 14:24      |
|   |     | <pre>(manag\$7 adj information adj base)) same<br/>(user client member subscriber computer))</pre> | DERWENT;            | 17.27      |
|   |     | and ((database table list\$4) same   | IBM TDB             |            |
|   |     | and ((database table 11st;4) same<br>  (address\$4 near3 (ip ipx (internet adj                     | 1011_100            |            |
|   |     | (address)   nears (ip ipx (internet ad)   protocol)))  |                     |            |
| ļ |     | subscriber computer)) and ((database   |                     |            |
|   |     | table list\$4) same tim\$4)  |                     |            |
| _ | 553 | (((web internet wan www) near5 (server   | USPAT;              | 2003/08/13 |
| - | 333 | page site prox\$4) same (track\$4  | EPO; JPO;           | 14:40      |
|   |     | monitor\$4) same (user client member   | DERWENT;            | 11.10      |
|   |     | subscriber computer)) same (activ\$7   | IBM TDB             |            |
|   |     | browsing)  | 12.1_122            |            |
| _ | 310 | (((web internet wan www) near5 (server   | USPAT;              | 2003/08/13 |
| İ | 310 | page site prox\$4) same (track\$4  | EPO; JPO;           | 17:39      |
|   |     | monitor\$4) same ((user client member  | DERWENT;            |            |
|   |     | subscriber computer)) near6 (activ\$7  | IBM TDB             | 1          |
|   |     | browsing)))  |                     |            |
| _ | 161 | (((web internet wan www) near5 (server   | USPAT;              | 2003/08/13 |
|   |     | page site prox\$4) same ((track\$4   | EPO; JPO;           | 15:31      |
|   |     | monitor\$4) near7 (user client member  | DERWENT;            |            |
|   |     | subscriber computer)) near6 (activ\$7  | IBM TDB             |            |
|   |     | browsing)))  | _                   |            |
| - | 58  | ((((web internet wan www) near5 (server  | USPAT;              | 2003/08/13 |
| 1 | 1   | page site prox\$4) same ((track\$4   | EPO; JPO;           | 15:37      |
|   |     | monitor\$4) near7 (user client member  | DERWENT;            |            |
|   |     | subscriber computer)) near6 (activ\$7  | IBM_TDB             |            |
|   |     | browsing)))) and ((compar\$6 match\$4)   | _                   |            |
| 1 |     | near7 (user address\$4 client member   |                     |            |
| 1 |     | subscriber computer))  |                     |            |
| - | 11  | ((((web internet wan www) near5 (server  | USPAT;              | 2003/08/13 |
|   | 1   | page site prox\$4) same ((track\$4   | EPO; JPO;           | 15:37      |
|   |     | monitor\$4) near7 (user client member  | DERWENT;            |            |
|   |     | subscriber computer)) near6 (activ\$7  | IBM_TDB             |            |
| 1 |     | browsing)))) and ((compar\$6 match\$4)   |                     |            |
| 1 |     | near7 address\$4)  |                     |            |
| - | 75  | (((web internet wan www) near5 (server   | USPAT;              | 2003/08/13 |
| 1 | 1   | page site prox\$4) same (track\$4  | EPO; JPO;           | 17:22      |
| 1 |     | monitor\$4) same (user client member   | DERWENT;            |            |
| 1 |     | subscriber computer))) and ((database  | IBM_TDB             |            |
| 1 | 1   | table list\$4) same (ip ipx (internet adj  |                     |            |
| 1 |     | protocol)) same (user client member  |                     |            |
| 1 |     | subscriber computer)) and ((database   |                     |            |
|   |     | table list\$4) same tim\$4) and (tim\$4 same   |                     |            |
|   |     | (sync\$4 synchron\$7) same (server global  |                     |            |
| 1 | I   | internet web))   |                     | 1          |

|          | , <del></del> |   |                       |                     |
|----------|---------------|---|-----------------------|---------------------|
| -        | 55            | <pre>((((web internet wan www) near5 (server page site prox\$4) same (track\$4 monitor\$4) same (user client member</pre> | USPAT                 | 2003/08/13<br>17:26 |
|          |               | subscriber computer))) and ((database   |                       |                     |
|          |               | table list\$4) same (ip ipx (internet adj   |                       |                     |
|          |               | <pre>protocol)) same (user client member subscriber computer)) and ((database</pre>                                       |                       |                     |
|          |               | table list\$4) same tim\$4) and (tim\$4 same  |                       |                     |
|          |               | (sync\$4 synchron\$7) same (server global   |                       |                     |
|          |               | <pre>internet web))) and ((match\$4 compar\$7)</pre>  |                       |                     |
|          | İ             | nearl1 (user client member subscriber   |                       |                     |
|          | 26            | <pre>computer address\$4)) (((web internet wan www) near5 (server</pre>   | USPAT;                | 2003/08/13          |
| -        | 20            | page site prox\$4) same (track\$4   | EPO; JPO;             | 17:47               |
|          |               | monitor\$4) same (user client member  | DERWENT;              | - / · · ·           |
|          |               | subscriber computer))) and ((database   | IBM_TDB               |                     |
|          |               | table list\$4) near11 (address\$4 ip ipx  |                       |                     |
| İ        |               | (internet adj protocol)) nearll (user client member subscriber computer)) and   |                       |                     |
|          |               | ((database table list\$4) near11 tim\$4)  |                       |                     |
|          |               | and (tim\$4 near11 (sync\$4 synchron\$7)  |                       |                     |
|          |               | nearll (server global internet web))  |                       |                     |
| -        | 11            | ((web internet wan www) nearl1 (track\$4  | USPAT;                | 2003/08/13          |
|          |               | monitor\$4) near11 (user client member subscriber computer) near6 (activ\$7   | EPO; JPO;<br>DERWENT; | 17:45               |
|          |               | browsing)) and ((compar\$6 match\$4) near7  | IBM TDB               |                     |
|          |               | (user client subscriber member profil\$4  | _                     |                     |
| 1        |               | address\$4)) and (tim\$4 same (sync\$4  |                       |                     |
| İ        |               | synchron\$7) same (server global internet   web))   |                       |                     |
| _        | 1142          | (tim\$4 same (sync\$4 synchron\$7) same   | USPAT;                | 2003/08/13          |
|          |               | (server global internet web)) and   | EPO; JPO;             | 17:59               |
|          |               | ((compar\$6 match\$4) near7 (user field   | DERWENT;              |                     |
|          |               | client subscriber member profil\$4  | IBM_TDB               |                     |
| 1_       | 16            | address\$4))<br>  ((((web internet wan www) near11 (server  | USPAT;                | 2003/08/13          |
|          | 10            | page site prox\$4) same (track\$4   | EPO; JPO;             | 17:59               |
|          |               | monitor\$4) same (user client member  | DERWENT;              |                     |
|          |               | subscriber computer))) and ((database   | IBM_TDB               |                     |
| 1        |               | table list\$4) same (address\$4 near3 (ip ipx (internet adj protocol))) same (user  |                       |                     |
|          |               | client member subscriber computer)) and   |                       |                     |
|          |               | ((database table list\$4) same tim\$4)) and   |                       |                     |
|          |               | ((tim\$4 same (sync\$4 synchron\$7) same  |                       |                     |
|          |               | (server global internet web)) and ((compar\$6 match\$4) near7 (user field   |                       |                     |
|          |               | client subscriber member profil\$4  |                       |                     |
|          |               | address\$4)))   |                       |                     |
| -        | 227           | (((web internet wan www) nearl1 (server   | USPAT;                | 2003/08/14          |
|          |               | <pre>page site prox\$4) same (track\$4 monitor\$4) same (user client member</pre>   | EPO; JPO;             | 10:27               |
|          |               | subscriber computer))) and ((database   | DERWENT;<br>IBM TDB   |                     |
|          |               | table list\$4) same (address\$4 near3 (ip   |                       |                     |
|          |               | <pre>ipx (internet adj protocol))) same (user</pre>   |                       |                     |
|          |               | client member subscriber computer)) and   |                       |                     |
| _        | 4568          | ((database table list\$4) same tim\$4)<br>((match\$4 compar\$6) same (database table                                      | USPAT;                | 2003/08/14          |
|          |               | list) same (user client member  | EPO; JPO;             | 09:07               |
|          |               | subscriber)) and ((add addition adding  | DERWENT;              |                     |
|          |               | added) same (new distinct) same (user   | IBM_TDB               |                     |
|          |               | client member subscriber)) and (tim\$4 timestamp\$4 time-stamp\$4)  |                       |                     |
| -        | 813           | ((match\$4 find\$4 compar\$6) near11  | USPAT;                | 2003/08/14          |
|          |               | (database table list) nearl1 (user client   | EPO; JPO;             | 09:07               |
|          |               | member subscriber)) and ((add addition  | DERWENT;              |                     |
|          |               | adding added) nearll (new distinct)<br>  nearll (user client member subscriber))  | IBM_TDB               |                     |
|          |               | and (tim\$4 timestamp\$4 time-stamp\$4)   |                       |                     |
| <u> </u> |               |   | I .                   | ·                   |

| - | 42  | ((((web internet wan www) near11 (server  | USPAT;                                  | 2003/08/14    |
|---|-----|---|---|---------------|
|   |     | page site prox\$4) same (track\$4   | EPO; JPO;                               | 09:04         |
|   |     | monitor\$4) same (user client member  | DERWENT;                                |               |
|   |     | subscriber computer))) and ((database   | IBM TDB                                 |               |
|   |     | table list\$4) same (address\$4 near3 (ip   | _                                       |               |
|   |     | <pre>ipx (internet adj protocol))) same (user</pre>   |   |               |
|   |     | client member subscriber computer)) and   |   |               |
|   |     | ((database table list\$4) same tim\$4)) and   |   |               |
|   |     | (((match\$4 compar\$6) same (database table   |   |               |
| 1 |     | list) same (user client member  |   |               |
|   |     | subscriber)) and ((add addition adding  |   |               |
|   |     | added) same (new distinct) same (user   |   |               |
|   |     |   |   |               |
|   |     | client member subscriber)) and (tim\$4  |   |               |
|   | ,,  | timestamp\$4 time-stamp\$4))  | *************************************** | 2002/00/14    |
| - | 13  | 1 , , , ,   | USPAT;                                  | 2003/08/14    |
| i |     | page site prox\$4) same (track\$4   | EPO; JPO;                               | 10:31         |
|   |     | monitor\$4) same (user client member  | DERWENT;                                |               |
| i |     | subscriber computer))) and ((database   | IBM_TDB                                 |               |
|   |     | table list\$4) same (address\$4 near3 (ip   |   |               |
|   |     | ipx (internet adj protocol))) same (user  |   |               |
|   |     | client member subscriber computer)) and   |   |               |
|   |     | ((database table list\$4) same tim\$4)) and   |   |               |
|   |     | (((match\$4 find\$4 compar\$6) near11   |   |               |
|   |     | (database table list) nearl1 (user client   |   |               |
|   |     | member subscriber)) and ((add addition  |   | ]             |
|   |     | adding added) nearll (new distinct)   |   |               |
|   |     | near11 (user client member subscriber))   | ł                                       |               |
|   |     | and (tim\$4 timestamp\$4 time-stamp\$4))  |   |               |
| - | 106 |   | USPAT;                                  | 2003/08/14    |
|   |     | near11 (user client member subscriber))   | EPO; JPO;                               | 09:29         |
| } |     | and ((add addition adding added) near11   | DERWENT;                                |               |
| i |     | (new\$2 distinct\$4) near11 (user client  | IBM TDB                                 |               |
| Ì |     | member subscriber)) and ((match\$4  | 1211_122                                |               |
| 1 |     | compar\$6) near11 (tim\$4 timestamp\$4  |   |               |
|   |     | time-stamp\$4))   |   |               |
|   | 15  | ((match\$4 compar\$6) near11 database   | USPAT;                                  | 2003/08/14    |
|   | 13  | nearl1 (user client member subscriber))   | EPO; JPO;                               | 09:21         |
|   |     |   |   | 09.21         |
|   |     | and ((add addition adding added) near11   | DERWENT;                                |               |
|   |     | (new\$2 distinct\$4) near11 (user client  | IBM_TDB                                 |               |
|   | į   | member subscriber)) and ((match\$4  |   |               |
|   |     | compar\$6) near11 (tim\$4 timestamp\$4  |   | 1             |
|   |     | time-stamp\$4)) and ((sync\$4 synchroniz\$6   |   |               |
| 1 | _   | glob1\$4) near6 (clock tim\$4))   |   | 2002 (00 (3 ) |
| - | 3   | ((match\$4 compar\$6) near11 database   | USPAT;                                  | 2003/08/14    |
|   |     | nearl1 (user client member subscriber))   | EPO; JPO;                               | 09:47         |
|   | -   | and ((add addition adding added) nearl1   | DERWENT;                                |               |
| 1 |     | (new\$2 distinct\$4) near11 (user client  | IBM_TDB                                 |               |
|   |     | member subscriber)) and ((match\$4  |   |               |
|   |     | compar\$6) near11 ((tim\$4 adj stamp\$5)  | 1                                       |               |
|   | 1   | <pre>timestamp\$4 time-stamp\$4))</pre>   |   |               |
| - | 37  |   | USPAT;                                  | 2003/08/14    |
|   |     | (user client member subscriber))) and   | EPO; JPO;                               | 10:31         |
|   |     | ((add addition adding added) nearl1 (user   | DERWENT;                                |               |
| 1 |     | client member subscriber)) and ((match\$4   | IBM_TDB                                 |               |
|   |     | compar\$6) near11 ((tim\$4 adj stamp\$5)  | _                                       |               |
|   |     | timestamp\$4 time-stamp\$4))  |   |               |
| - | 244 | ((track\$4 monitor\$4) near8 (user client   | USPAT;                                  | 2003/08/14    |
|   |     | member subscriber computer)) and  | EPO; JPO;                               | 10:47         |
|   |     | ((database table list\$4) near11  | DERWENT;                                |               |
|   |     | (address\$4 near3 (ip ipx (internet adj   | IBM TDB                                 |               |
|   |     | protocol)))) and ((database table list\$4)  |   |               |
|   |     | near7 (tim\$4 timestamp\$4))  |   |               |
|   | L   | 1 | 1                                       | L             |

| 4 | R |
|---|---|
|   | 7 |

| - | 44 | (((track\$4 monitor\$4) near8 (user client                                   | USPAT;              | 2003/08/14 |
|---|----|--|---------------------|------------|
|   |    | member subscriber computer)) and   | EPO; JPO;           | 10:48      |
|   |    | ((database table list\$4) nearl1   | DERWENT;            |            |
|   |    | (address\$4 near3 (ip ipx (internet adj                                      | IBM_TDB             |            |
|   |    | <pre>protocol)))) and ((database table list\$4)</pre>                        |                     |            |
|   |    | near7 (tim\$4 timestamp\$4))) and ((match\$4                                 |                     |            |
|   |    | compar\$6) near11 (address\$4 user client                                    |                     |            |
|   |    | member subscriber)) and ((add addition                                       |                     |            |
|   |    | adding added new\$3) near11 (address\$4                                      |                     |            |
|   |    | user client member subscriber)) and  |                     |            |
|   |    | ((match\$4 compar\$6) near9 (tim\$4  |                     |            |
|   |    | timestamp\$4 time-stamp\$4))   |                     |            |
| - | 4  | ((((track\$4 monitor\$4) near8 (user client                                  | USPAT;              | 2003/08/14 |
| 1 |    | member subscriber computer)) and   | EPO; JPO;           | 10:35      |
|   |    | ((database table list\$4) near11   | DERWENT;            |            |
|   |    | (address\$4 near3 (ip ipx (internet adj                                      | IBM_TDB             |            |
|   |    | <pre>protocol)))) and ((database table list\$4)</pre>                        |                     |            |
|   |    | near7 (tim\$4 timestamp\$4))) and ((match\$4                                 |                     |            |
|   |    | compar\$6) near11 (address\$4 user client                                    |                     |            |
|   | 1  | member subscriber)) and ((add addition                                       |                     |            |
|   |    | adding added new\$3) near11 (address\$4                                      |                     |            |
|   |    | user client member subscriber)) and  |                     |            |
|   |    | ((match\$4 compar\$6) near9 (tim\$4  |                     |            |
|   |    | timestamp\$4 time-stamp\$4))) and  |                     |            |
|   |    | 709/224.ccls.  |                     |            |
| - | 37 | ` ` ` = = = = = ` ` = = = = = = =  | USPAT;              | 2003/08/14 |
|   |    | member subscriber computer)) and   | EPO; JPO;           | 10:49      |
|   |    | ((database table list\$4) near11   | DERWENT;            |            |
|   |    | (address\$4 near3 (ip ipx (internet adj                                      | IBM_TDB             |            |
|   |    | protocol)))) and ((database table list\$4)                                   |                     |            |
|   |    | near7 (tim\$4 timestamp\$4))) and  |                     |            |
|   | 00 | 709/224.ccls.  | IICDAM.             | 2003/08/14 |
| - | 89 | ((web internet wan www) same (track\$4 monitor\$4) near8 (user client member | USPAT;<br>EPO; JPO; | 10:48      |
|   |    | subscriber computer)) and ((database   | DERWENT;            | 10.40      |
|   |    | table list\$4) near11 (address\$4 near3 (ip                                  | IBM TDB             | 1          |
|   |    | ipx (internet adj protocol)))) and   | 1511_155            | Ī          |
|   |    | ((database table list\$4) near7 (tim\$4                                      |                     | !          |
|   |    | timestamp\$4))   |                     |            |
| _ | 17 | 1  | USPAT;              | 2003/08/14 |
|   | '' | monitor\$4) near8 (user client member  | EPO; JPO;           | 10:49      |
|   |    | subscriber computer)) and ((database   | DERWENT;            | 10.45      |
|   |    | table list\$4) near11 (address\$4 near3 (ip                                  | IBM TDB             |            |
|   |    | ipx (internet adj protocol)))) and   | 1                   |            |
|   |    | ((database table list\$4) near7 (tim\$4                                      |                     |            |
| 1 |    | timestamp\$4))) and ((match\$4 compar\$6)                                    |                     |            |
|   |    | nearl1 (address\$4 user client member  |                     |            |
| 1 |    | subscriber)) and ((add addition adding                                       |                     |            |
|   |    | added new\$3) near11 (address\$4 user  |                     | <u> </u>   |
|   |    | client member subscriber)) and ((match\$4                                    |                     |            |
|   |    | compar\$6) near9 (tim\$4 timestamp\$4  |                     |            |
|   |    | time-stamp\$4))  |                     |            |
| - | 50 | 1  | USPAT;              | 2003/08/14 |
|   |    | monitor\$4) near8 (user client member  | EPO; JPO;           | 10:59      |
|   |    | subscriber computer)) and ((database   | DERWENT;            | 1          |
|   |    | table list\$4) near11 (address\$4 near3 (ip                                  | IBM TDB             |            |
|   |    | <pre>ipx (internet adj protocol)))) and</pre>                                | _                   |            |
| 1 |    | ((database table list\$4) near7 (tim\$4                                      |                     |            |
|   |    | timestamp\$4))) and 709/\$.ccls.   |                     |            |
|   |    |  |                     |            |